NSN 5935-01-364-2582

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-364-2582
Body Style:
Straight shape, flush mount
Overall Length:
1.655 inches
Unthreaded Mounting Hole Diameter:
Between 0.146 inches and 0.156 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
4.728 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
3.250 inches
Distance From Mounting Shoulder To Front Face:
Between 0.115 inches and 0.135 inches
Mating End Quantity:
4
Polarization Method:
3 polarization posts
Shell Type:
Solid
Connector Locking Method:
Friction
Insert Material:
Plastic diallyl phthalate glass filled all mating ends
Guide Design And Location:
Hexagon shape female post center at 1 oclock hexagon shape female post left-hand at 6 oclock hexagon shape female post right-hand at 12
oclock
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, ty ii federal specification single treatment response
Shell Material Specification:
Qq-a-591 federal specification 1st material response and a380 federal specification 2nd material response
Insert Material Specification:
Mil-m-14, type sdg-f military specification single material response all mating ends
Precious Material And Location:
Contact surfaces gold
Precious Material:
Gold
Shelf Life:

N/a

Unit Of Measure:

NSN 5935-01-364-2582

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.