## NSN 5935-01-364-2587

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-364-2587

**Body Style:** Right angle type **Overall Length:** 2.600 inches Overall Width: 0.190 inches **Body Height:** 0.100 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Connector Locking Method:** Friction **Operating Tempurature Rating:** Between -40.0 degrees celsius and 105.0 degrees celsius **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic polyamide glass filled single mating end **Contact Surface Treatment Specification:** Mil-g-45204, type 2, grade c, class 2 military specification all treatment responses single mating end single contact grouping **Terminal Type:** Printed circuit single mating end single contact grouping **Contact Material Specification:** Qq-b-750 federal specification single material response single mating end single contact grouping **Insert Material Specification:** Mil-c-24519 military specification all material responses single mating end **Included Contact Quantity:** 52 single mating end single contact grouping **Included Contact Type:** 

Contact surfaces gold

**Precious Material And Location:** 

Square pin single mating end single contact grouping

## NSN 5935-01-364-2587

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight</b>
0.052 gold grains, troy
Precious Material:
Gold
Supplementary Features:
Mounting method - terminal
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.