Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-365-0465

2bThread Direction:Right-handBody Style:Straight shape, internal couplingOverall Length:0.526 inchesOverall Diameter:Between 0.209 inches and 0.212 inchesThreaded Device Type:Coupling facilityMating End Quantity:Contact Position Arrangement Style:Sma single mating endContact Removability:Removable single mating end single contact groupingShell Type:SolidConnector Locking Method:Internally threaded coupling ringThread Size:0.250 inchesExercise0.250 inchesContact Material:Contact Material:Contact Notion Arrangement Style:SolidConnector Locking Method:Internally threaded coupling ringThready Qty Per Inch (tpi):36Contact Size:0.250 inchesContact Material:Contact groupingContact Material:Contact Single mating end single contact grouping
Right-handBody Style:Straight shape, internal couplingOverall Length:0.526 inchesOverall Diameter:Between 0.209 inches and 0.212 inchesThreaded Device Type:Coupling facilityMating End Quantity:1Contact Position Arrangement Style:Sma single mating endContact Removability:Removable single mating end single contact groupingShell Type:SolidConnector Locking Method:Internally threaded coupling ringThread Size:0.250 inchesTerminal Location:Back single mating end single contact grouping
Body Style: Straight shape, internal coupling Overall Length: 0.526 inches Overall Diameter: Between 0.209 inches and 0.212 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping
Straight shape, internal coupling Overall Length: 0.526 inches Overall Diameter: Between 0.209 inches and 0.212 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping
Overall Length:0.526 inchesOverall Diameter:Between 0.209 inches and 0.212 inchesThreaded Device Type:Coupling facilityMating End Quantity:1Contact Position Arrangement Style:Sma single mating endContact Removability:Removable single mating end single contact groupingShell Type:SolidConnector Locking Method:Internally threaded coupling ringThread Size:0.250 inchesTerminal Location:Back single mating end single contact grouping
0.526 inches Overall Diameter: Between 0.209 inches and 0.212 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping
Overall Diameter:Between 0.209 inches and 0.212 inchesThreaded Device Type:Coupling facilityMating End Quantity:1Contact Position Arrangement Style:Sma single mating endContact Removability:Removable single mating end single contact groupingShell Type:SolidConnector Locking Method:Internally threaded coupling ringThready Qty Per Inch (tpi):36Thread Size:0.250 inchesEack single mating end single contact groupingContact Material:
Between 0.209 inches and 0.212 inches Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping
Threaded Device Type: Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping
Coupling facility Mating End Quantity: 1 Contact Position Arrangement Style: Sma single mating end Contact Removability: Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Mating End Quantity:1Contact Position Arrangement Style:Sma single mating endContact Removability:Removable single mating end single contact groupingShell Type:SolidConnector Locking Method:Internally threaded coupling ringThready Qty Per Inch (tpi):36Thread Size:0.250 inchesTerminal Location:Back single mating end single contact groupingContact Material:
1Contact Position Arrangement Style:Sma single mating endContact Removability:Removable single mating end single contact groupingShell Type:SolidConnector Locking Method:Internally threaded coupling ringThready Qty Per Inch (tpi):36Thread Size:0.250 inchesTerminal Location:Back single mating end single contact groupingContact Material:
Contact Position Arrangement Style: Sma single mating end Contact Removability: Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping
Sma single mating end Contact Removability: Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Contact Removability: Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Removable single mating end single contact grouping Shell Type: Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Shell Type:SolidConnector Locking Method:Internally threaded coupling ringThready Qty Per Inch (tpi):36Thread Size:0.250 inchesTerminal Location:Back single mating end single contact groupingContact Material:
Solid Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Connector Locking Method: Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Internally threaded coupling ring Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
36 Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Thread Size: 0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
0.250 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Terminal Location: Back single mating end single contact grouping Contact Material:
Back single mating end single contact grouping Contact Material:
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic polytetrafluoroethylene single mating end
Terminal Type:
Pin single mating end single contact grouping
Shell Material:
Stainless steel
Shell Surface Treatment:
Nickel and gold
Included Contact Quantity:
1 single mating end single contact grouping

NSN 5935-01-365-0465

Electrical Plug Connector - Page 2 of 2



Included Contact Type:

Coaxial socket single mating end single contact grouping

Precious Material And Location:

Contact and shell surfaces gold

Precious Material And Weight:

0.105 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Uns

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0