

View Online at https://aerobasegroup.com/nsn/5935-01-365-6418

2b         Inread Direction:         Right-hand         Overall Width:         1.650 inches         Body Angle In Deg:         90.0         Cable Opening Diameter:         1.095 inches         Distance From Centerline To Connector End:         0.950 inches         Distance From Centerline To Cable End:         1.850 inches         Intered Length:         0.219 inches         Zable Opening Quantity:         1         Size Designation:         22 and 23         Mounting Facility Type And Quantity:         1 threaded coupling
Right-handOverall Width:1.650 inchesBody Angle In Deg:90.0Cable Opening Diameter:1.095 inchesDistance From Centerline To Connector End:0.950 inchesDistance From Centerline To Cable End:1.850 inchesDistance From Centerline To Cable End:1.850 inchesCable Opening Quantity:122 and 23Mounting Facility Type And Quantity:
Overall Width:1.650 inchesBody Angle In Deg:90.0Cable Opening Diameter:1.095 inchesDistance From Centerline To Connector End:0.950 inchesDistance From Centerline To Cable End:1.850 inchesThread Length:0.219 inchesCable Opening Quantity:1Size Designation:22 and 23Mounting Facility Type And Quantity:
1.650 inchesBody Angle In Deg:90.0Cable Opening Diameter:1.095 inchesDistance From Centerline To Connector End:0.950 inchesDistance From Centerline To Cable End:1.850 inchesThread Length:0.219 inchesCable Opening Quantity:1Size Designation:22 and 23Mounting Facility Type And Quantity:
Body Angle In Deg:90.0Cable Opening Diameter:1.095 inchesDistance From Centerline To Connector End:0.950 inchesDistance From Centerline To Cable End:1.850 inchesThread Length:0.219 inchesCable Opening Quantity:11Size Designation:22 and 23Mounting Facility Type And Quantity:
90.0Cable Opening Diameter:1.095 inchesDistance From Centerline To Connector End:0.950 inchesDistance From Centerline To Cable End:1.850 inchesThread Length:0.219 inchesCable Opening Quantity:1Size Designation:22 and 23Mounting Facility Type And Quantity:
Cable Opening Diameter:1.095 inchesDistance From Centerline To Connector End:0.950 inchesDistance From Centerline To Cable End:1.850 inchesThread Length:0.219 inchesCable Opening Quantity:1Size Designation:22 and 23Mounting Facility Type And Quantity:
1.095 inchesDistance From Centerline To Connector End:0.950 inchesDistance From Centerline To Cable End:1.850 inchesThread Length:0.219 inchesCable Opening Quantity:1Size Designation:22 and 23Mounting Facility Type And Quantity:
Distance From Centerline To Connector End:0.950 inchesDistance From Centerline To Cable End:1.850 inchesThread Length:0.219 inchesCable Opening Quantity:1Size Designation:22 and 23Mounting Facility Type And Quantity:
0.950 inches Distance From Centerline To Cable End: 1.850 inches Thread Length: 0.219 inches Cable Opening Quantity: 1 Size Designation: 22 and 23 Mounting Facility Type And Quantity:
Distance From Centerline To Cable End:1.850 inchesThread Length:0.219 inchesCable Opening Quantity:12Size Designation:22 and 23Mounting Facility Type And Quantity:
1.850 inchesThread Length:0.219 inchesCable Opening Quantity:1Size Designation:22 and 23Mounting Facility Type And Quantity:
Thread Length:   0.219 inches   Cable Opening Quantity:   1   Size Designation:   22 and 23   Mounting Facility Type And Quantity:
0.219 inches Cable Opening Quantity: 1 Size Designation: 22 and 23 Mounting Facility Type And Quantity:
Cable Opening Quantity:         1         Size Designation:         22 and 23         Mounting Facility Type And Quantity:
1         Size Designation:         22 and 23         Mounting Facility Type And Quantity:
Size Designation: 22 and 23 Mounting Facility Type And Quantity:
22 and 23 Mounting Facility Type And Quantity:
Mounting Facility Type And Quantity:
1 threaded coupling
Thready Qty Per Inch (tpi):
18
Thread Size:
1.312 inches
Material:
Aluminum alloy
Material:
Aluminum alloy
Surface Treatment:
Cadmium
Style Designator:
Clamp, angle tie strap type
Surface Treatment:
Cadmium
Test Data Document:
81349-mil-c-85049 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## Thread Series Designator:

Unef

## **Specification Data:**

Electrical Connector Cable Clamp - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A10100