

View Online at <https://aerobasegroup.com/nsn/5935-01-365-6621>

**Body Style:**

Straight shape, feed through

**Overall Length:**

0.944 inches

**Overall Diameter:**

Between 0.378 inches and 0.381 inches

**Mating End Quantity:**

2

**Contact Position Arrangement Style:**

Tnc all mating ends

**Contact Removability:**

Nonremovable all mating ends all contact groupings

**Contact Maximum Ac Voltage Rating In Volts:**

1000.0 all mating ends all contact groupings

**Contact Maximum Frequency Rating:**

15.0 gigahertz all mating ends all contact groupings

**Polarization Method:**

Contact

**Shell Type:**

Solid

**Connector Locking Method:**

Externally threaded shell

**Radio Frequency Type Contact Characteristic Impedance In Ohms:**

50.0 all mating ends all contact groupings

**Terminal Location:**

Back 2nd mating end 2nd contact grouping

**Contact Material:**

Copper alloy all mating ends all contact groupings

**Contact Surface Treatment:**

Gold all mating ends all contact groupings

**Insert Material:**

Plastic all mating ends

**Terminal Type:**

Pin 2nd mating end 2nd contact grouping

**Shell Material:**

Stainless steel

**Shell Surface Treatment:**

Gold

**Included Contact Quantity:**

1 1st mating end 1st contact grouping1 2nd mating end 2nd contact grouping

**Included Contact Type:**

Coaxial socket 1st mating end 1st contact groupingcoaxial pin 2nd mating end 2nd contact grouping

**Precious Material And Location:**

Body & contact surfaces gold

**Precious Material And Weight:**

0.105 gold grains, troy

**Precious Material:**

Gold

**Supplementary Features:**

Mounting method - threaded body

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A039b0