## NSN 5935-01-367-7956

Electrical Receptacle Connector - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5955-01-567-7956
Body Style:
Straight shape
Overall Length:
0.780 inches
Overall Width:
0.210 inches
Distance Between Mounting Facility Centers:
0.562 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
4 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Jackscrew
Connector Locking Method:
Externally threaded shell
Operating Tempurature Rating:
Between -55.0 degrees celsius and 135.0 degrees celsius
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate glass filled single mating end
Terminal Type:
Solder well single mating end single contact grouping
Included Contact Quantity:
4 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.004 gold grains, troy

Gold

**Precious Material:** 

## NSN 5935-01-367-7956

Electrical Receptacle Connector - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0