## NSN 5935-01-367-9868

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-367-9868

**Body Style:** Straight shape, external coupling **Overall Length:** 1.259 inches **Overall Height:** 1.835 inches **Overall Width:** 1.835 inches **Environmental Protection:** Vibration resistant **Unthreaded Mounting Hole Diameter:** 0.142 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.500 inches **Distance From Mounting Shoulder To Front Face:** 0.809 inches **Mating End Quantity: Contact Position Arrangement Style:** 25-61 single mating end **Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 and 110.0 and 250.0 Shell Type: Solid **Connector Locking Method: Operating Tempurature Rating:** Between -65.0 degrees celsius and 175.0 degrees celsius **Terminal Location:** Back single mating end single contact grouping **Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic single mating end

## NSN 5935-01-367-9868

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Aluminum
Shell Surface Treatment:
Cadmium and chromate and nickel
Included Contact Quantity:
61 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.061 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0