## NSN 5935-01-368-1133

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-368-1133

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight shape
Overall Length:
0.870 inches
Overall Height:
0.380 inches
Overall Width:
0.165 inches
Environmental Protection:
Moisture resistant
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
26 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Mating end
Thread Size:
0.060 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic polyester glass filled single mating end
Contact Surface Treatment Specification:
Mil-g-45204, ty ii, grade c, class 1 military specification 1st treatment response single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Included Contact Quantity:
26 single mating end single contact grouping

Twisted pin single mating end single contact grouping

**Included Contact Type:** 

## NSN 5935-01-368-1133

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.026 gold grains, troy
Precious Material:
Gold
Supplementary Features:
Mounting method - bushing
Thread Series Designator:
Unf
Specification Data:
22915-aj0270 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.