NSN 5935-01-369-2308

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-369-2308

Body Style:
Straight type
Overall Length:
2.850 inches
Overall Height:
0.605 inches
Overall Width:
0.250 inches
Environmental Protection:
Shock resistant and vibration resistant and corrosion resistant and humidity resistant and fungus resistant
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
2.600 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping or gold single mating end single contact
grouping and copper single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Unable To Decode:
Unable to decode and unable to decode
Included Contact Quantity:
40 single mating end single contact grouping

Precious Material And Location:

Round socket single mating end single contact grouping

Contact surfaces gold

Included Contact Type:

Precious Material And Weight:

0.040 gold grains, troy

NSN 5935-01-369-2308

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0