Electrical Plug Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-370-1172



## Thread Class:

2b

**Thread Direction:** 

Right-hand

## **Body Style:**

Straight shape, internal coupling

## **Overall Length:**

1.370 inches

## **Overall Diameter:**

1.090 inches

#### **Environmental Protection:**

Humidity resistant and salt water resistant and shock proof and vibration proof

# Threaded Device Type:

Coupling facility

#### Mating End Quantity:

1

## **Contact Position Arrangement Style:**

12-dec single mating end

## **Contact Removability:**

Removable single mating end single contact grouping

## **Polarization Method:**

Keyway or multiple keyway

## **Insert Position In Deg:**

0.0 and 84.0 and 152.0 and 204.0 and 334.0

#### Shell Type:

Solid

## **Connector Locking Method:**

Internally threaded coupling ring

## **Operating Tempurature Rating:**

Between -65.0 degrees celsius and 200.0 degrees celsius

#### **Thread Size:**

0.875 inches

## **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

# **Contact Surface Treatment:**

Gold single mating end single contact grouping

## **Insert Material:**

Plastic epoxy single mating end

## **Terminal Type:**

Crimp single mating end single contact grouping

# NSN 5935-01-370-1172

Electrical Plug Connector - Page 2 of 2



## **Shell Material:**

Aluminum alloy

Shell Surface Treatment:

Cadmium

Included Contact Quantity:

12 single mating end single contact grouping

# Included Contact Type:

Round pin single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.012 gold grains, troy

Precious Material:

Gold

#### **Test Data Document:**

81349-mil-c-83723 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Thread Series Designator:**

Unef

Specification Data:

81349-mil-c-83723/96 government specification

Shelf Life:

N/a

# Unit Of Measure:

--

#### **Demilitarization:**

No

Fiig:

A039b0