NSN 5935-01-370-8393

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-370-8393 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Rectangular shape, insulation piercing **Overall Length:** 2.700 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.430 inches **Overall Height:** 0.700 inches **Overall Width:** 0.990 inches **Unthreaded Mounting Hole Diameter:** 0.128 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.468 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 75 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Jackscrew and guide pin/socket **Connector Locking Method:** Post jacksocket Thready Qty Per Inch (tpi): **Thread Size:** 0.190 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping or nickel single mating end single contact grouping **Insert Material:**

Plastic polyamide single mating end

NSN 5935-01-370-8393

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Wire wrap single mating end single contact grouping
Guide Design And Location:
Hexagon shape male post right-hand at 9 oclock
Included Contact Quantity:
75 single mating end single contact grouping
Included Contact Type:
Hermaphrodite single mating end single contact grouping
Special Features:
Jackscrew type-female and location-center
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.075 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0