NSN 5935-01-371-8094

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-371-8094 **Body Style:** Rectangular shape, insulation piercing **Overall Length:** 2.170 inches **Overall Height:** 0.820 inches **Overall Width:** 0.810 inches **Unthreaded Mounting Hole Diameter:** 0.158 inches **Distance Between Mounting Facility Centers:** 1.840 inches **Mating End Quantity: Contact Position Arrangement Style:** 1 row of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 1.0 single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Friction **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic polyester glass filled single mating end **Contact Surface Treatment Specification:** Mil-g-45204 military specification 1st treatment response single mating end single contact grouping **Terminal Type:** Insulation piercing single mating end single contact grouping **Shell Material:** Steel

Shell Surface Treatment:

Nickel

Included Contact Quantity:

24 single mating end single contact grouping

NSN 5935-01-371-8094

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Curved pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.024 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.