NSN 5935-01-372-0924

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-372-0924 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.350 inches **Overall Height:** 1.219 inches **Overall Width:** 1.219 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 0.906 inches and 0.969 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 0.906 inches and 0.969 inches **Distance From Mounting Shoulder To Front Face:** Between 0.815 inches and 0.820 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 15-15 single mating end **Contact Removability:** Nonremovable single mating end 1st contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:**

108.0 and 165.0 and 215.0 and 270.0

Shell Type:

Connector Locking Method:

Internally threaded coupling ring

Thread Size:

1.000 inches

Terminal Location:

Back single mating end 1st contact grouping

Contact Material:

Copper alloy single mating end 1st contact grouping

Contact Surface Treatment:

Gold single mating end 1st contact grouping

NSN 5935-01-372-0924

Electrical Receptacle Connector - Page 2 of 2



Insert Material:
Plastic epoxy single mating end
Terminal Type:
Pin single mating end 1st contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Nickel
Included Contact Quantity:
12 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end 1st contact grouping
Unable To Decode:
Unable to decode
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.012 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Special acme
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0