

Electrical Receptacle Connector - Page 1 of 2	AGIUDASG Group
View Online at https://aerobasegroup.com/nsn/5935-01-372-9943	
Body Style:	
Right angle, type	
Overall Length:	
8.400 inches	
Overall Height:	
0.580 inches	
Body Width:	
0.385 inches	
Unthreaded Mounting Hole Diameter:	
0.097 inches	
Distance Between Mounting Facility Centers:	
8.200 inches	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
3 rows of contacts non-inserted board single mating end	
Contact Removability:	
Removable single mating end single contact grouping	
Polarization Method:	
Guide pin/socket	
Connector Locking Method:	
Friction	
Unable To Decode:	
Unable to decode and unable to decode	
Terminal Location:	
Back single mating end single contact grouping	
Contact Material:	
Copper alloy 260 single mating end single contact grouping	
Contact Surface Treatment:	
Gold single mating end single contact grouping and nickel single mating end single contact grouping	
Insert Material:	
Plastic polyamide single mating end	
Contact Surface Treatment Specification:	
Mil-g-45204 military specification 1st treatment response single mating end single contact grouping and qq-n-290	federal specification single
treatment response single mating end single contact grouping	
Terminal Type:	
Printed circuit single mating end single contact grouping	
Guide Design And Location:	

D shape pin left-hand at 10 oclock and d shape pin right-hand at 10 oclock

Included Contact Quantity:

228 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping



Precious Material And Location: Contact surfaces gold **Precious Material And Weight:** 0.228 gold grains, troy **Precious Material:** Gold Supplementary Features: Mounting method - tab and unthreaded hole Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.
