Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-374-4530

| Thread Class:  |
|--|
| 2a   |
| Thread Direction:  |
| Right-hand   |
| Body Style:  |
| Straight shape, rectangular  |
| Overall Length:  |
| 1.180 inches   |
| Overall Height:  |
| 1.350 inches   |
| Overall Width:   |
| 2.420 inches   |
| Unthreaded Mounting Hole Diameter:   |
| 0.149 inches   |
| Center To Center Distance Between Mounting Facilities Parallel To Height:          |
| 0.812 inches   |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:        |
| 2.045 inches   |
| Threaded Device Type:  |
| Coupling facility  |
| Mating End Quantity:   |
| 1  |
| Contact Position Arrangement Style:  |
| 80 single mating end   |
| Contact Removability:  |
| Removable single mating end single contact grouping                                |
| Polarization Method:   |
| Polarization boss  |
| Shell Type:  |
| Solid  |
| Connector Locking Method:  |
| Jackscrew  |
| Thread Size:   |
| 0.250 inches   |
| Terminal Location:   |
| Back single mating end single contact grouping                                     |
| Contact Material:  |
| Copper alloy single mating end single contact grouping                             |
| Contact Surface Treatment:   |
| Gold single mating end single contact grouping and nickel single mating end single |
| Insert Material:   |
| Plastic diallyl phthalate glass filled single mating end                           |
|  |

mating end single contact grouping



# Terminal Type:

Crimp single mating end single contact grouping

### Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

Included Contact Quantity:

80 single mating end single contact grouping

# Included Contact Type:

Round pin single mating end single contact grouping

# Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.080 gold grains, troy

# Precious Material:

Gold

#### **Test Data Document:**

81349-mil-c-28748 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### Thread Series Designator:

Unf

#### Specification Data:

81349-mil-c-28748/9 government specification

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A039b0