NSN 5935-01-374-5976

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-374-5976 **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 2.426 inches **Overall Diameter:** 0.866 inches **Distance From Mounting Shoulder To Front Face:** 0.694 inches **Threaded Device Type:** Back shell and mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Removable single mating end single contact grouping **Shell Type:** Solid **Connector Locking Method:** Bayonet slot **Thread Size:** 6.0 millimeters and 15.0 millimeters **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Gold and nickel **Thread Tolerance Class:** 6g external **Included Contact Quantity:** 1 single mating end single contact grouping

Round

Included Contact Type:

Bushing Accommodation Hole Shape:

Round socket single mating end single contact grouping

NSN 5935-01-374-5976

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact and body surfaces gold
Precious Material And Weight:
0.105 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Iso m
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0