## NSN 5935-01-375-0697

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-375-0697 **Thread Class:** 2a and 2b **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 1.250 inches **Overall Height:** 0.906 inches **Overall Width:** 0.390 inches **Distance Between Mounting Facility Centers:** 1.032 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 4 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Jackscrew **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 56 **Thread Size:** 0.086 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate glass filled single mating end **Terminal Type:** Solder well single mating end single contact grouping

Unable To Decode:

Unable to decode and unable to decode

## NSN 5935-01-375-0697

Fiig: A039b0

Electrical Receptacle Connector - Page 2 of 2



## **Included Contact Quantity:** 34 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Special Features:** Jackscrew type-female and location-right handandjackscrew type-male and location-left hand **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.034 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Un Shelf Life: N/a **Unit Of Measure: Demilitarization:** No