

NSN 5935-01-375-0704 Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-375-0704 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 0.785 inches **Overall Height:** 0.620 inches **Overall Width:** 0.498 inches **Environmental Protection:** Moisture resistant and salt water resistant and shock resistant and vibration resistant **Distance Between Mounting Facility Centers:** 0.565 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 9 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Polarization Method:** Mating end

Shell Type:

Solid

Thread Size:

0.086 inches

Terminal Location:

Side single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Insert Material:

Plastic diallyl phthalate glass filled single mating end

Contact Surface Treatment Specification:

Mil-g-45204, type 2, grade c, cl 1 military specification single treatment response single mating end single contact grouping

NSN 5935-01-375-0704

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Wire lead single mating end single contact grouping
Shell Material:
Aluminum alloy or steel
Shell Surface Treatment:
Nickel or passivate
Shell Surface Treatment Specification:
Mil-c-26070 military specification single treatment response or qq-p-35 federal specification single treatment response
Shell Material Specification:
Qq-a-591 federal specification single material response or qq-s-766 federal specification single material response
Insert Material Specification:
Mil-m-14, ty sdg-f or gdi-30f military specification single material response single mating end
Included Contact Quantity:
9 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.009 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.