Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-375-0704

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight shape
Overall Length:
0.785 inches
Overall Height:
0.620 inches
Overall Width:
0.498 inches
Environmental Protection:
Moisture resistant and salt water resistant and shock resistant and vibration resistant
Distance Between Mounting Facility Centers:
0.565 inches
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
9 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Thread Size:
0.086 inches
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate glass filled single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, grade c, cl 1 military specification single treatment response single mating end single contact grouping



## **Terminal Type:** Wire lead single mating end single contact grouping Shell Material: Aluminum alloy or steel **Shell Surface Treatment:** Nickel or passivate **Shell Surface Treatment Specification:** Mil-c-26070 military specification single treatment response or qq-p-35 federal specification single treatment response **Shell Material Specification:** Qq-a-591 federal specification single material response or qq-s-766 federal specification single material response **Insert Material Specification:** Mil-m-14, ty sdg-f or gdi-30f military specification single material response single mating end **Included Contact Quantity:** 9 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.009 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.