## NSN 5935-01-375-5091

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-375-5091 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Angle shape, pcb, external coupling **Overall Length:** 0.583 inches **Overall Height:** 0.530 inches **Overall Width:** 0.250 inches **Distance From Mounting Shoulder To Front Face:** 0.333 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** Sma single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 36 **Thread Size:** 0.250 inches **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic epoxy single mating end **Terminal Type:** 

Printed circuit single mating end single contact grouping

**Shell Material:** 

Aluminum alloy

## NSN 5935-01-375-5091

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Gold and passivate
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Coaxial socket single mating end single contact grouping
Precious Material And Location:
Contact and shell legs gold
Precious Material And Weight:
0.105 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Uns
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0