NSN 5935-01-380-1463

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-380-1463 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, flush mount **Overall Length:** Between 4.300 inches and 4.330 inches **Overall Height:** 1.135 inches **Overall Width:** 1.158 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.562 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 3.870 inches and 3.880 inches **Distance From Mounting Shoulder To Front Face:** 0.526 inches **Threaded Device Type:** Mounting hole **Mating End Quantity:** 1 **Contact Position Arrangement Style:** "18, 018" single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 23.0 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: **Connector Locking Method:** Friction **Thread Size:** 0.138 inches

Terminal Location: Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Nickel single mating end single contact grouping

NSN 5935-01-380-1463

Electrical Receptacle Connector - Page 2 of 2



Insert Material:
Plastic single mating end
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Nickel
Included Contact Quantity:
18 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
Four clinch nuts
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.018 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0