Electrical Receptacle Connector - Page 1 of 2



end single contact grouping

View Online at https://aerobasegroup.com/nsn/5935-01-380-3189

Body Style:
Straight shape
Overall Length:
1.016 inches
Overall Height:
0.181 inches
Overall Width:
Between 0.185 inches and 0.205 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
4.0 single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, grade c military specification single treatment response single mating en
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:
Astm b-194 assn standard single material response single mating end single contact grouping
Insert Material Specification:
Mil-m-2519, type gpt-40f military specification single material response single mating end
Included Contact Quantity:
40 single mating end single contact grouping
Included Contact Type:
Square socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold



Precious Material And Weight:

0.040 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.