

View Online at <https://aerobasegroup.com/nsn/5935-01-381-4257>

**Body Material:**

Rubber, synthetic

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Body Style:**

Top mount w/studs

**Overall Length:**

1.437 inches

**Overall Height:**

1.260 inches

**Overall Width:**

0.790 inches

**Body Mounting Hole Accommodation Length:**

1.075 inches

**Body Mounting Hole Accommodation Width:**

0.780 inches

**Mounting Hole Style:**

Rectangular, w/three mounting holes/slots

**Contact Maximum Current Rating In Amps:**

10.0

**Contact Material:**

Copper

**Contact Surface Treatment:**

Copper and gold

**Accommodated Contact Quantity:**

11

**Center To Center Distance Between Outside Mounting Holes Along Length:**

1.080 inches

**Center To Center Distance Between Outside Mounting Holes Along Width:**

0.500 inches

**Projection Length Below Mounting Surface:**

0.280 inches

**Mounting Method:**

Threaded hole

**Mounting Type For Which Designed:**

Chassis

**Thready Qty Per Inch (tpi):**

40

**Thread Size:**

0.112 inches

**Contact Position Arrangement Style:**

In-line

**Precious Material And Location:**

Contact surfaces gold

**Precious Material And Weight:**

0.011 gold grains, troy

**Precious Material:**

Gold

**Test Data Document:**

81349--12883/46 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Un

**Terminal Type And Quantity:**

11 crimp

**Specification Data:**

81349-mil-s-12883 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A02300