NSN 5935-01-381-4293

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-381-4293 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, flange mount external coupling **Overall Length:** 1.273 inches **Overall Height:** 1.694 inches **Overall Width:** 1.694 inches **Environmental Protection:** Corrosion resistant **Unthreaded Mounting Hole Diameter:** 0.154 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 1.375 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.375 inches **Threaded Device Type:** Back shell **Mating End Quantity: Contact Position Arrangement Style:** 21-16 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 13.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 28

28

Thread Size:

1.250 inches

NSN 5935-01-381-4293

Electrical Receptacle Connector - Page 2 of 2



Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Insert Material:
Rubber silicone class q single mating end
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Plastic
Included Contact Quantity:
16 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
Shell metalized
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.016 gold grains, troy
Precious Material:
Gold
Supplementary Features:
Mounting method - flange
Thread Series Designator:
Uns
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0