Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-381-4297

#### **Body Style:**

Straight shape

### **Overall Length:**

6.295 inches

# **Overall Height:**

0.858 inches

# **Overall Width:**

0.490 inches

#### **Environmental Protection:**

Shock resistant and vibration resistant and corrosion resistant and humidity resistant and fungus resistant

### **Unthreaded Mounting Hole Diameter:**

0.185 inches

### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

3 rows of contacts non-inserted board single mating end

### Contact Removability:

Nonremovable single mating end single contact grouping

#### **Polarization Method:**

Mating end

# **Connector Locking Method:**

Friction

### **Operating Tempurature Rating:**

Between -65.0 degrees celsius and 125.0 degrees celsius

### **Terminal Location:**

Back single mating end single contact grouping

### **Contact Material:**

Copper alloy single mating end single contact grouping

### Contact Surface Treatment:

Solder single mating end single contact grouping and copper single mating end single contact grouping

#### **Insert Material:**

Plastic single mating end and glass fiber single mating end

### **Contact Surface Treatment Specification:**

Mil-p-81728, 50 to 70 percent tin military specification 1st treatment response single mating end single contact grouping and mil-c-14550

military specification 2nd treatment response single mating end single contact grouping

### **Terminal Type:**

Pin single mating end single contact grouping

#### **Insert Material Specification:**

Mil-m-24519, type gpt-15f military specification all material responses single mating end

# Included Contact Quantity:

150 single mating end single contact grouping

# Included Contact Type:

Brush pin single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



## **Test Data Document:**

81349-mil-c-55302 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-55302/166 government specification
Shelf Life:
N/a
Unit Of Measure:
-Demilitarization:
No
Fiig:

Filg.

A039b0

Mil-std (military Standard):

Mil-p-81728 spec.