## NSN 5935-01-381-7557

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-381-7557

Body Style: Straight type Overall Length: 95.0 millimeters
Overall Length:
OF O recilling at a re
95.0 millimeters
Overall Height:
11.5 millimeters
Overall Width:
10.6 millimeters
Unthreaded Mounting Hole Diameter:
2.81 millimeters
Distance Between Mounting Facility Centers:
Between 89.9 millimeters and 90.1 millimeters
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
1.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
330.0 single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Friction
Operating Tempurature Rating:
Between -55.0 degrees celsius and 125.0 degrees celsius
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Printed circuit single mating end single contact grouping
Included Contact Quantity:
64 single mating end single contact grouping
Included Contact Type:

Square pin single mating end single contact grouping

## NSN 5935-01-381-7557

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Location:</b>
Contactplating gold
Precious Material And Weight:
0.064 gold grains, troy
Precious Material:
Gold
Supplementary Features:
Mounting method - unthreaded hole
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0