## NSN 5935-01-384-2075

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-384-2075 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Rectangular shape center screwlock **Overall Length:** Between 2.115 inches and 2.135 inches Center To Center Distance Between Mounting Facilities Parallel To Length: Between 1.745 inches and 1.755 inches **Overall Height:** 1.860 inches **Overall Width:** Between 0.820 inches and 0.840 inches **Environmental Protection:** Humidity resistant and shock resistant and thermal shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.143 inches and 0.155 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 36 single mating end **Polarization Method:** Polarization boss **Connector Locking Method:** Jackscrew **Thread Size:** 0.138 inches **Insert Material:** Plastic diallyl phthalate glass filled single mating end **Test Data Document:** 81349-mil-c-28748 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Thread Series Designator:** Unc **Specification Data:** 81349-mil-c-28748/09 government specification

--

N/a

Shelf Life:

**Unit Of Measure:** 

## NSN 5935-01-384-2075

Electrical Receptacle Connector Body - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A039b0