

View Online at <https://aerobasegroup.com/nsn/5935-01-384-6783>

**Thread Class:**

2a and 2b and 2a

**Thread Direction:**

Right-hand

**Body Style:**

Straight shape

**Overall Length:**

Between 1.480 inches and 1.520 inches

**Overall Height:**

Between 0.605 inches and 0.645 inches

**Overall Width:**

Between 0.370 inches and 0.410 inches

**Distance Between Mounting Facility Centers:**

Between 1.276 inches and 1.286 inches

**Threaded Device Type:**

Coupling facility and mounting stud

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

44 single mating end

**Polarization Method:**

Jackscrew

**Connector Locking Method:**

Jackscrew-socket

**End Application:**

Pacer dawn

**Thready Qty Per Inch (tpi):**

56 and 56 and 56

**Thread Size:**

0.086 inches and 0.086 inches and 0.086 inches

**Terminal Location:**

Back single mating end single contact grouping

**Insert Material:**

Plastic polyphenylene single mating end

**Insert Material Specification:**

Mil-m-24519 type gst-40f military specification single material response single mating end

**Included Contact Quantity:**

44 single mating end single contact grouping

**Included Contact Type:**

Round socket single mating end single contact grouping

**Supplementary Features:**

Mounting method - stud

**Thread Series Designator:**

Unc and unc and unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-m-24519 spec.