## NSN 5935-01-384-9584



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-384-9584 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Pcb, external coupling **Overall Length:** 0.420 inches **Overall Height:** 0.156 inches **Overall Width:** 0.156 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.100 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.100 inches **Threaded Device Type:** Back shell **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Maximum Current Rating In Amps:** 1.0 single mating end single contact grouping Shell Type: Solid **Thread Size:** 0.1338 inches **Terminal Location:** Back single mating end single contact grouping **Insert Material:** Plastic polytetrafluoroethylene single mating end **Terminal Type:** Printed circuit single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Gold

**Included Contact Quantity:** 

1 single mating end single contact grouping

**Included Contact Type:** 

Coaxial pin single mating end single contact grouping

## NSN 5935-01-384-9584

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Location:</b>
Contact surfaces gold
Precious Material And Weight:
0.005 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0