## NSN 5935-01-385-1939

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-385-1939

view Offiline at https://aerobasegroup.com/nsn/0900-01-000-1909
Body Style:
Straight shape
Overall Length:
1.084 inches
Overall Height:
0.445 inches
Overall Width:
0.200 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Connector Locking Method:
Friction
Operating Tempurature Rating:
Between -65.0 degrees celsius and 105.0 degrees celsius
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic polyamide glass filled single mating end or plastic polyester single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, grade c, cl 0 military specification 1st treatment response single mating end single contact grouping and qq-n-290,
2 federal specification 2nd treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:
Qq-b-750 federal specification single material response single mating end single contact grouping
Included Contact Quantity:
22 single mating end single contact grouping
Included Contact Type:

Contact surfaces gold

**Precious Material And Weight:** 

**Precious Material And Location:** 

Square pin single mating end single contact grouping

0.022 gold grains, troy

**Precious Material:** 

Gold

## NSN 5935-01-385-1939

Electrical Receptacle Connector - Page 2 of 2



Specification Data:
80063-b4042305 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.