## NSN 5935-01-387-3550

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-387-3550



**Thread Class:** 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.280 inches **Overall Diameter:** 1.199 inches **Environmental Protection:** Salt water resistant and fire resistant **Distance From Mounting Shoulder To Front Face:** 0.871 inches **Mounting Facility Thickness:** Between 0.062 inches and 0.125 inches **Mating End Quantity:** 2 **Contact Position Arrangement Style:** Sep-98 single mating end **Contact Maximum Frequency Rating:** 10.0 gigahertz single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell **Features Provided:** Emi filter **Terminal Location:** Back single mating end single contact grouping **Terminal Type:** Crimp single mating end single contact grouping **Shell Material:** Stainless steel **Shell Surface Treatment: Passivate Included Contact Type:** Round socket single mating end single contact grouping **Special Features:** Normal keyway rotation

Thread Series Designator:
Iso m and special acme and iso m

## NSN 5935-01-387-3550

Electrical Receptacle Connector - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0