## NSN 5935-01-387-4282

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-387-4282 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, internal coupling **Overall Length:** 0.812 inches **Distance From Mounting Shoulder To Front Face:** 0.425 inches **Mounting Facility Thickness:** 0.030 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Removable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Friction Width Across Flats: 0.219 inches **Thread Size:** 0.190 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic polytetrafluoroethylene single mating end **Terminal Type:** Crimp single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** 

Gold

## NSN 5935-01-387-4282

Electrical Receptacle Connector - Page 2 of 2



Ind	clud	led	Con	tact	Qua	ntity:
	JIUU	ıcu	CULI	ιαυι	wua	HILLLY.

1 single mating end single contact grouping

**Included Contact Type:** 

Coaxial pin single mating end single contact grouping

**Precious Material:** 

Gold

**Thread Series Designator:** 

Unf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0