## NSN 5935-01-388-0005

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-388-0005

**Body Style:** Straight shape **Overall Length:** 1.300 inches **Overall Height:** 0.775 inches **Overall Width:** 0.800 inches **Environmental Protection:** Cold resistant and heat resistant **Mating End Quantity: Contact Position Arrangement Style:** 15 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 12.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 600.0 single mating end single contact grouping **Connector Locking Method:** Friction **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and tin single mating end single contact grouping **Insert Material:** Plastic polyamide single mating end **Contact Surface Treatment Specification:** Mil-g-45204 military specification 1st treatment response single mating end single contact grouping **Terminal Type:** Tapered pin single mating end single contact grouping **Included Contact Quantity:** 15 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Special Features:** 

Precious Material And Location:

Contact pin has 0.180 in. Deep cut across it

Contact surfaces gold

## NSN 5935-01-388-0005

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.015 gold grains, troy
Precious Material:
Gold
Supplementary Features:
Mounting method - bolt
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.