NSN 5935-01-389-0911

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-389-0911 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, internal coupling w/strain relief **Body Length:** 5.938 inches **Overall Diameter:** 1.719 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** Lk-d24 single mating end **Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 and 250.0 Shell Type: Solid **Connector Locking Method:** Internally threaded coupling ring Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.500 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic epoxy single mating end **Terminal Type:** Crimp single mating end single contact grouping

Shell Material:

Aluminum

NSN 5935-01-389-0911Electrical Plug Connector - Page 2 of 2



| Shell Surface Treatment: |
|---|
| Cadmium and chromate and nickel |
| Included Contact Quantity: |
| 24 single mating end single contact grouping |
| Included Contact Type: |
| Round pin single mating end single contact grouping |
| Precious Material: |
| Gold |
| Test Data Document: |
| 96906-ms3406dj24f28py standard (includes industry or association standards, individual manufactureer standards, etc.) |
| Thread Series Designator: |
| Unef |
| Specification Data: |
| 81349-mil-c-5015 government specification |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A039b0 |
| Mil-std (military Standard): |
| Mil-c-5015 spec. |
| |