## NSN 5935-01-389-3630

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-389-3630

Body Style:
Right angle type
Overall Length:
0.800 inches
Overall Width:
0.230 inches
Body Height:
0.100 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
1000.0 single mating end single contact grouping
Polarization Method:
Contact
Shell Type:
Solid
Connector Locking Method:
Friction
Operating Tempurature Rating:
Between -40.0 degrees celsius and 105.0 degrees celsius
Terminal Location:
Back single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Contact Surface Treatment Specification:
Mil-g-45204, type 11, grade c. Class 2. Military specification single treatment response single mating end single contact grouping
Terminal Type:
Crimp single mating end single contact grouping
Included Contact Quantity:
16 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold

Gold

**Precious Material:** 

## NSN 5935-01-389-3630

Electrical Receptacle Connector - Page 2 of 2



<b>Supplementary Features:</b>
Mounting method - friction
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
No Fiig:

Mil-std (military Standard):

Mil-g-45204 spec.