## NSN 5935-01-390-7197

Connector Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-390-7197 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 0.880 inches **Overall Diameter:** 0.375 inches **Environmental Protection:** Corrosion resistant **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Sma all mating ends **Contact Removability:** Removable all mating ends single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 all mating ends single contact grouping Thready Qty Per Inch (tpi): 36 Thread Size: 0.250 inches **Contact Material:** Copper alloy all mating ends single contact grouping **Contact Surface Treatment:** Gold all mating ends single contact grouping **Insert Material:** Plastic polytetrafluoroethylene all mating ends **Shell Material:** Copper alloy or stainless steel **Shell Surface Treatment:** 

Gold

**Included Contact Quantity:** 

1 all mating ends single contact grouping

## NSN 5935-01-390-7197

Connector Adapter - Page 2 of 2



Bushing Accommodation Hole Shape:
Round w/flat
Included Contact Type:
Coaxial socket all mating ends single contact grouping
Precious Material And Location:
Contact and body surfaces gold
Precious Material And Weight:
0.110 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Uns
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0