NSN 5935-01-392-9207

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-392-9207

| Thread Oleres |
|---|
| Thread Class: |
| 2b |
| Thread Direction: |
| Right-hand |
| Body Style: |
| Straight type |
| Overall Length: |
| 1.984 inches |
| Overall Height: |
| 0.480 inches |
| Overall Width: |
| 0.320 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.150 inches |
| Distance Between Mounting Facility Centers: |
| 1.812 inches |
| Threaded Device Type: |
| Coupling facility |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| 2 rows of contacts non-inserted board single mating end |
| Contact Removability: |
| Nonremovable single mating end single contact grouping |
| Polarization Method: |
| Mating end |
| Shell Type: |
| Solid |
| Connector Locking Method: |
| Friction |
| Thread Size: |
| 0.086 inches |
| Terminal Location: |
| Back single mating end single contact grouping |
| Contact Material: |
| Iron alloy single mating end single contact grouping |
| Contact Surface Treatment: |
| Gold single mating end single contact grouping and nickel single mating end single contact grouping |
| Insert Material: |
| Glass single mating end |
| Terminal Type: |
| |
| Solder well single mating end single contact grouping |

NSN 5935-01-392-9207

Electrical Receptacle Connector - Page 2 of 2



| Shell Material: |
|---|
| Iron alloy |
| Included Contact Quantity: |
| 13 single mating end single contact grouping |
| Included Contact Type: |
| Round pin single mating end single contact grouping |
| Precious Material And Location: |
| Contact surfaces gold |
| Precious Material And Weight: |
| 0.013 gold grains, troy |
| Precious Material: |
| Gold |
| Thread Series Designator: |
| Unc |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A039b0 |