NSN 5935-01-392-9312

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-392-9312

Body Style:				
Straight type				
Overall Length:				
2.312 inches				
Overall Height:				
0.525 inches				
Overall Width:				
0.750 inches				
Environmental Protection:				
Humidity resistant and shock resistant and thermal shock resistant and vibration resistant				
Unthreaded Mounting Hole Diameter:				
0.143 inches and 0.195 inches and 0.260 inches				
Distance Between Mounting Facility Centers:				
2.000 inches				
Mating End Quantity:				
1				
Contact Position Arrangement Style:				
42 single mating end				
Contact Removability:				
Nonremovable single mating end single contact grouping				
Polarization Method:				
Mating end				
Connector Locking Method:				
Friction				
Operating Tempurature Rating:				
Between -55.0 degrees celsius and 125.0 degrees celsius				
Terminal Location:				
Back single mating end single contact grouping				
Contact Material:				
Copper alloy single mating end single contact grouping				
Contact Surface Treatment:				
Gold single mating end single contact grouping and nickel single mating end single contact grouping				
Insert Material:				
Plastic diallyl phthalate glass filled single mating end				
Terminal Type:				
Solder well single mating end single contact grouping				
Included Contact Quantity:				
42 single mating end single contact grouping				
Included Contact Type:				
Round pin single mating end single contact grouping				

Contact surfaces gold

Precious Material And Location:

NSN 5935-01-392-9312

Electrical Receptacle Connector - Page 2 of 2



Precious	Material	And	Weight:
----------	----------	-----	---------

0.042 gold grains, troy

Precious Material:

Gold

Test Data Document:

81349-mil-c-28748 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-c-28748/3 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0