

View Online at https://aerobasegroup.com/nsn/5935-01-393-1384

Plastic Body Style: Top mount Overall Length: 1.650 inches Terminal Length: Between 0.110 inches and 0.140 inches Overall Height: 0.314 inches Overall Width: Between 1.040 inches and 1.060 inches Contact Material: Beryllium copper Contact Surface Treatment: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Precious Material And Location: Contact surfaces gold Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: F No Fig: A02300	Body Material:	
Top mountOverall Length:1.650 inchesTerminal Length:Between 0.110 inches and 0.140 inchesOverall Height:0.314 inchesOverall Width:Between 1.040 inches and 1.060 inchesContact Material:Beryllium copperContact Surface Treatment:GoldAccommodated Contact Quantity:32Polarization Type:SlotMounting Method:TerminalPrecious Material And Location:Contact surfaces goldPrecious MaterialOu32 gold grains, troyPrecious Material:32Pinted circuitPrecious MaterialMounting Type And Quantity:32 grinted circuitPrecious MaterialMaterial Type And Quantity:32 grinted circuitShelf Life:N/aUnit Of Measure:-Penilitarization:NoFig:		
Top mount Overall Length: 1.650 inches Terminal Length: Between 0.110 inches and 0.140 inches Overall Height: 0.314 inches Overall Width: 0.314 inches Overall Width: Between 1.040 inches and 1.060 inches Contact Material: Beryllium copper Contact Surface Treatment: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material: Gold Cortant Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Body Style:	
Overall Length:1.650 inchesTerminal Length:Between 0.110 inches and 0.140 inchesOverall Height:0.314 inchesOverall Width:Between 1.040 inches and 1.060 inchesContact Material:Beryllium copperContact Surface Treatment:GoldAccommodated Contact Quantity:32Polarization Type:SlotMounting Method:TerminalMounting Type For Which Designed:Printed circuitPrecious Material And Location:Contact surfaces goldPrecious Material And Weight:0.32 gold grains, troyPrecious Material:GoldTerminal Type And Quantity:32 printed circuitShelf Life:N/aUnit Of Measure:Demilitarization:NoFig:		
1.650 inches Terminal Length: Between 0.110 inches and 0.140 inches Overall Height: 0.314 inches Overall Width: Between 1.040 inches and 1.060 inches Contact Material: Beryllium copper Contact Surface Treatment: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fig:		
Between 0.110 inches and 0.140 inches Overall Height: 0.314 inches Overall Width: Between 1.040 inches and 1.060 inches Contact Material: Beryllium copper Contact Surface Treatment: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Between 0.110 inches and 0.140 inches Overall Height: 0.314 inches Overall Width: Between 1.040 inches and 1.060 inches Contact Material: Beryllium copper Contact Surface Treatment: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Veight: 0.032 gold grains, troy Precious Material Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No	Terminal Length:	
0.314 inches Overall Width: Between 1.040 inches and 1.060 inches Contact Material: Beryllium copper Contact Surface Treatment: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No		
0.314 inches Overall Width: Between 1.040 inches and 1.060 inches Contact Material: Beryllium copper Contact Surface Treatment: Gold Accommodated Contact Quantity: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Precious Material And Location: Contact surfaces gold Precious Material And Location: Gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: T No Fig:	Overall Height:	
Between 1.040 inches and 1.060 inches Contact Material: Beryllium copper Contact Surface Treatment: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Pretious Material And Location: Contact surfaces gold Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Contact Material: Beryllium copper Contact Surface Treatment: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Prerious Material And Location: Contact surfaces gold Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No	Overall Width:	
Beryllium copperContact Surface Treatment:GoldAccommodated Contact Quantity:32Polarization Type:SlotMounting Method:TerminalMounting Type For Which Designed:Printed circuitPrecious Material And Location:Contact surfaces goldPrecious Material And Weight:0.032 gold grains, troyPrecious Material:GoldTerminal Type And Quantity:32 printed circuitShelf Life:N/aUnit Of Measure:Penilitarization:NoFig:	Between 1.040 inches and 1.060 inches	
Beryllium copperContact Surface Treatment:GoldAccommodated Contact Quantity:32Polarization Type:SlotMounting Method:TerminalMounting Type For Which Designed:Printed circuitPrecious Material And Location:Contact surfaces goldPrecious Material And Weight:0.032 gold grains, troyPrecious Material:GoldTerminal Type And Quantity:32 printed circuitShelf Life:N/aUnit Of Measure:Penilitarization:NoFig:	Contact Material:	
Contact Surface Treatment: Gold Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Pretious Material And Location: Pretious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No	Beryllium copper	
GoldAccommodated Contact Quantity:32Polarization Type:SlotMounting Method:TerminalMounting Type For Which Designed:Printed circuitPrecious Material And Location:Contact surfaces goldPrecious Material And Weight:0.032 gold grains, troyPrecious Material:GoldTerminal Type And Quantity:32 printed circuitShelf Life:N/aDemilitarization:NoFig:		
Accommodated Contact Quantity: 32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No		
32 Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Precious Material And Location: Precious Material And Location: Contact surfaces gold Precious Material And Weight: O.032 gold grains, troy Precious Material: Olo32 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Polarization Type: Slot Mounting Method: Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Slot Mounting Method: Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Mounting Method: Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Terminal Mounting Type For Which Designed: Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Mounting Type For Which Designed:Printed circuitPrecious Material And Location:Contact surfaces goldPrecious Material And Weight:0.032 gold grains, troyPrecious Material:GoldTerminal Type And Quantity:32 printed circuitShelf Life:N/aUnit Of Measure:Penilitarization:NoFig:		
Printed circuit Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Contact surfaces gold Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Precious Material And Weight: 0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:		
0.032 gold grains, troy Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	-	
Precious Material: Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Gold Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Terminal Type And Quantity: 32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
32 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
N/a Unit Of Measure: Demilitarization: No Fiig:		
Unit Of Measure: Demilitarization: No Fiig:		
 Demilitarization: No Fiig:		
No Fiig:	Unit Of Measure:	
No Fiig:		
Fiig:		
A02300	-	
	A02300	