Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-394-4577

#### **Body Style:**

Straight shape, external coupling

#### **Overall Length:**

0.710 inches

# Distance From Mounting Shoulder To Front Face:

0.250 inches

# **Mounting Facility Thickness:**

0.125 inches

#### Threaded Device Type:

Coupling facility

# Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

Smb single mating end

# Contact Removability:

Nonremovable single mating end single contact grouping

# Shell Type:

Solid

# Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

## Width Across Flats:

0.500 inches

**Terminal Location:** 

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

## **Insert Material:**

Plastic single mating end

## **Terminal Type:**

Crimp single mating end single contact grouping

#### Shell Material:

Copper alloy

## Shell Surface Treatment:

Nickel

# Included Contact Quantity:

1 single mating end single contact grouping

#### Included Contact Type:

Coaxial socket single mating end single contact grouping

# **Special Features:**

Cable type: rg-405/ (0.085)



**Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.002 gold grains, troy **Precious Material:** Gold Supplementary Features: Mounting method - jam mut Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0