Electrical Connector Backshell - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-394-5345

| Thread Class: |
|--|
| 2b |
| Thread Direction: |
| Right-hand |
| Overall Width: |
| 1.112 inches |
| Body Angle In Deg: |
| 90.0 |
| Cable Opening Diameter: |
| Between 0.250 inches and 0.375 inches |
| Distance From Centerline To Connector End: |
| 1.216 inches |
| Distance From Centerline To Cable End: |
| 3.661 inches |
| Thread Length: |
| 0.290 inches |
| Cable Opening Quantity: |
| 1 |
| Size Designation: |
| 7 and 12 and 12s |
| Mounting Facility Type And Quantity: |
| 1 threaded coupling |
| Thread Size: |
| 0.750 inches |
| Material: |
| Aluminum alloy |
| Surface Treatment: |
| Cadmium |
| Style Designator: |
| Angle type w/clamp |
| Surface Treatment: |
| Cadmium |
| Test Data Document: |
| 81349-mil-c-85049 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Thread Series Designator: |
| Unef |
| Specification Data: |
| 81349-mil-c-85049/8 government specification |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |

Electrical Connector Backshell - Page 2 of 2



Demilitarization:

No

Fiig:

A10100