Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-395-2480

#### **Body Style:**

Straight shape, external coupling

#### **Overall Length:**

1.100 inches

# **Overall Height:**

1.708 inches

### **Overall Width:**

1.708 inches

#### **Unthreaded Mounting Hole Diameter:**

0.157 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

#### 1.375 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

#### 1.375 inches

Distance From Mounting Shoulder To Front Face:

# 0.790 inches

Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

23-2 single mating end

### **Contact Removability:**

Removable single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

#### **Insert Position In Deg:**

0.0

#### Shell Type:

Solid

## **Connector Locking Method:**

Bayonet pin

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

#### **Contact Surface Treatment:**

Gold single mating end single contact grouping

# **Terminal Type:**

Printed circuit single mating end single contact grouping

### **Shell Material:**

Stainless steel

# Shell Surface Treatment:

Cadmium

# NSN 5935-01-395-2480

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment Specification: Qq-p-416 federal specification single treatment response Included Contact Quantity: 85 single mating end single contact grouping Included Contact Type: Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.085 gold grains, troy **Precious Material:** Gold Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0