NSN 5935-01-395-2889

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-395-2889

Body Style:
Straight shape
Overall Length:
5.960 inches
Overall Height:
0.440 inches
Overall Width:
0.500 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Key or multiple key
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Contact Surface Treatment Specification:
Mil-g-45204. Type ii, grade c or d, class 1 military specification 1st treatment response single mating end single contact grouping and
qq-n-290 federal specification 2nd treatment response single mating end single contact grouping
Terminal Type:
Printed circuit single mating end single contact grouping
Contact Material Specification:
Astm-b194 assn standard single material response single mating end single contact grouping
Shell Material:
Plastic
Shell Material Specification:
Mil24519, type gpt-30f military specification single material response
Included Contact Quantity:
112 single mating end single contact grouping
Included Contact Type:

Contact surfaces gold

Precious Material And Location:

Round socket single mating end single contact grouping

NSN 5935-01-395-2889

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.112 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.