NSN 5935-01-395-3731

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-395-3731 **Thread Class:** 2a and 2b **Thread Direction:** Right-hand **Body Style:** Rectangular shape **Overall Length:** 1.500 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.281 inches **Overall Height:** 0.500 inches **Overall Width:** 0.390 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.180 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** Err-090 single mating end **Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Jackscrew **Connector Locking Method:** Jackscrew-socket Thread Size: 0.086 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:**

Terminal Type:

Crimp single mating end single contact grouping

Plastic diallyl phthalate glass filled single mating end

Unable To Decode:

Unable to decode and unable to decode

NSN 5935-01-395-3731

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:
44 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Jackscrew type-male and location-left handandjackscrew type-female and location-right hand
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.044 gold grains, troy
Precious Material:
Gold
Test Data Document:
81349-mil-c-28748/14 standard (includes industry or association standards, individual manufactureer standards, etc.).
Thread Series Designator:
Unc
Specification Data:
8134928748/14 government standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0