NSN 5935-01-395-7479

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-395-7479

Body Style: Straight type **Overall Length:** Between 3.840 inches and 3.860 inches **Overall Height:** 0.637 inches **Overall Width:** 0.250 inches **Environmental Protection:** Shock resistant and vibration resistant and corrosion resistant and humidity resistant and fungus resistant **Unthreaded Mounting Hole Diameter:** 0.120 inches **Distance Between Mounting Facility Centers:** 3.600 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Polarization Method:** Guide pin/socket **Connector Locking Method:** Friction **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate glass filled single mating end or plastic polyester glass filled single mating end **Terminal Type:** Pin single mating end single contact grouping **Guide Design And Location:** D shape socket left-hand at 3 oclock and d shape pin right-hand at 3 oclock **Included Contact Quantity:** 60 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

NSN 5935-01-395-7479

Electrical Receptacle Connector - Page 2 of 2



| Precious | Material | And | Location: |
|----------|----------|-----|-----------|
|----------|----------|-----|-----------|

Contact surfaces gold

Precious Material:

Gold

Test Data Document:

81349-mil-c-55302 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-c-55302/58 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0