NSN 5935-01-396-1994



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-396-1994 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 4.990 inches **Overall Height:** 0.695 inches **Overall Width:** 0.576 inches **Distance Between Mounting Facility Centers: 4.700** inches **Threaded Device Type:** Mounting hole

Mating End Quantity:

2

Contact Removability:

Removable all mating ends all contact groupings

Polarization Method:

Guide pin/socket

Connector Locking Method:

Friction

Thread Size:

0.086 inches

Terminal Location:

Back all mating ends all contact groupings

Contact Material:

Copper alloy all mating ends all contact groupings

Contact Surface Treatment:

Gold all mating ends all contact groupings

Insert Material:

Plastic polyamide single mating end

Terminal Type:

Printed circuit all mating ends all contact groupings

Unable To Decode:

Unable to decode and unable to decode

Included Contact Quantity:

210 all mating ends all contact groupings

Included Contact Type:

Flat pin all mating ends all contact groupings

NSN 5935-01-396-1994

Electrical Receptacle Connector - Page 2 of 2



Special Features:
Double surface mount connector with 5 rows of contacts, 3mounting ears, 210 contacts.
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.210 gold grains, troy
Precious Material:
Gold
Supplementary Features:
Mounting method - threaded hole
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0