Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-396-4572

view Online at https://aerobasegroup.com/nsn/5935-01-396-4572
Body Style:
Right angle type
Overall Length:
0.472 inches
Overall Width:
0.386 inches
Body Height:
0.197 inches
Environmental Protection:
Vibration resistant and shock resistant and humidity resistant and corrosion resistant
Mating End Quantity:
1
Contact Position Arrangement Style:
Bridged contacts inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
1.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
200.0 single mating end single contact grouping
Connector Locking Method:
Friction
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Tin single mating end single contact grouping
Insert Material:
Plastic polyester single mating end
Contact Surface Treatment Specification:
Mil-p-81728 military specification single treatment response single mating end single contact grouping
Terminal Type:
Printed circuit single mating end single contact grouping
Contact Material Specification:
Astm-b-139 assn standard single material response single mating end single contact grouping
Included Contact Quantity:
5 single mating end single contact grouping
Included Contact Type:
Leaf spring single mating end single contact grouping
Shelf Life:
N/a

Electrical Receptacle Connector - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-p-81728 spec.