NSN 5935-01-399-0510

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-399-0510

Body Style:
Straight type
Overall Length:
3.780 inches
Overall Height:
0.440 inches
Overall Width:
0.275 inches
Unthreaded Mounting Hole Diameter:
0.100 inches
Distance Between Mounting Facility Centers:
3.610 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
122 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Jackscrew
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping or gold single mating end single contact
grouping and copper single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate glass filled single mating end or plastic polyester glass filled single mating end
Terminal Type:
Solder well single mating end single contact grouping
Unable To Decode:
Unable to decode and unable to decode
Included Contact Quantity:
122 single mating end single contact grouping
Included Contact Type:

Precious Material And Location:

Round socket single mating end single contact grouping

Jackscrew type-female and location-left handandjackscrew type-male and location-right hand

Contact surfaces gold

Special Features:

NSN 5935-01-399-0510

Mil-std (military Standard):

Mil-c-55302 spec.

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.122 gold grains, troy
Precious Material:
Gold
Test Data Document:
81349-mil-c-55302 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-55302/192 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0