NSN 5935-01-399-6415

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-399-6415 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight type **Overall Length:** 3.050 inches **Overall Height:** 0.830 inches **Overall Width:** 0.500 inches **Environmental Protection:** Salt spray proof and shock resistant and humidity resistant and vibration resistant **Distance Between Mounting Facility Centers:** 2.782 inches **Threaded Device Type:** Mounting stud **Mating End Quantity: Contact Position Arrangement Style:** 100 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 1000.0 single mating end single contact grouping **Operating Tempurature Rating:** Between 0.0 degrees celsius and 85.0 degrees celsius **Thread Size:** 4.000 inches **Terminal Location:** Back single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Terminal Type:** Crimp and solder single mating end single contact grouping

Shell Material:

Plastic

Included Contact Quantity:

100 single mating end single contact grouping

NSN 5935-01-399-6415

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0