## NSN 5935-01-399-6418

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-399-6418

g
Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight type
Overall Length:
3.050 inches
Overall Height:
0.830 inches
Overall Width:
0.050 inches
Environmental Protection:
Salt spray proof and shock resistant and vibration resistant and humidity resistant
Distance Between Mounting Facility Centers:
2.782 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
100 single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
1000.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
500.0 single mating end single contact grouping
Thread Length:
40.0 millimeters
Operating Tempurature Rating:
Between 0.0 degrees celsius and 85.0 degrees celsius
Thread Size:
4.000 inches
Terminal Location:
Back single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping

Terminal Type:

Crimp and solder single mating end single contact grouping

## NSN 5935-01-399-6418

Electrical Receptacle Connector - Page 2 of 2



Shell Material:	
Plastic	
Included Contact Quantity:	
100 single mating end single contact grouping	
Included Contact Type:	
Round pin single mating end single contact grouping	
Precious Material And Location:	
Contact surfaces gold	
Precious Material:	
Gold	
Thread Series Designator:	
Unc	
Shelf Life:	
N/a	
Unit Of Measure:	
<del>.</del> -	
Demilitarization:	
No	
Fiig:	
A039b0	